

How to Set JAVAOPTION for SAS EG Standalone Installer

Please substitute path accordingly

Create a folder easily accessible (In our example, we created it in **C:\Users\sas\Desktop\eg_test**)


Start a DOS CMD shell with Administrator privilege


Navigate to the SASEnterpriseGuide71_x86_x64.exe path

```
C:\Users\sas>C:\Users\sas\Desktop\Asif\Standalone\SAS_Enterprise_Guide_Independent_Installer\7_11\SASEnterpriseGuide71_x86_x64.exe /dir=C:\Users\sas\Desktop\eg_test
C:\Users\sas>
```


Command

```
C:\Users\sas\Desktop\Asif\Standalone\SAS_Enterprise_Guide_Independent_Installer\7_11\SASEnterpriseGuide71_x86_x64.exe /dir=C:\Users\sas\Desktop\eg_test
```






Once the **EXTRACTION** completes the following window appears



Click on **Cancel**



Click **Finish**

Navigate to the folder you created in the first step: **C:\Users\sas\Desktop\eg_test** in our example

Certificates	11/26/2019 2:12 PM	File folder
eg_test	7/20/2020 5:15 PM	File folder
M...	Date created: 7/20/2020 5:12 PM	File folder
S...	Size: 518 MB	File folder
S...	Folders: jre, media_data, order_data, product_data, products	File folder
S...	Files: cd.id, setup.dat, setup.exe, setup.ini	File folder
1 WIN Start Meta BetaTest bat	1/8/2020 4:25 PM	Windows R...

This PC > Local Disk (C:) > Users > sas > Desktop > **eg_test** > **1**

Name	Date modified	Type	Size
jre	7/20/2020 5:14 PM	File folder	
media_data	7/20/2020 5:14 PM	File folder	
order_data	7/20/2020 5:14 PM	File folder	
product_data	7/20/2020 5:15 PM	File folder	
products	7/20/2020 5:15 PM	File folder	
cd.id	4/9/2013 9:41 AM	ID File	1 KB
setup.dat	2/3/2015 2:24 PM	DAT File	1 KB
setup.exe	4/22/2015 9:50 PM	Application	82 KB
setup.ini	8/27/2014 2:42 PM	Configuration setti...	1 KB

2

Make a backup of the setup.ini file

Edit the setup.ini file

```
[[properties]
MASTERPROP=setup.dat

[default]
id=sdw
norunwith=esd, sdw
norunwith_display_esd=SAS Download Manager
norunwith_display_sdw=SAS Deployment Wizard

[win]
launchercmd=jre/jre/bin/java.exe
launcherargs=-Xmx1024M -jar <DEPLOYWIZ_PRT_PKG>/deploywiz/setup.jar -startuplocation <LAUNCHERDIR> -allselectable -de

[wx6]
launchercmd=jre/jre/bin/java.exe
launcherargs=-Xmx1024M -jar <DEPLOYWIZ_PRT_PKG>/deploywiz/setup.jar -startuplocation <LAUNCHERDIR> -allselectable -de
```

Change the value from 1024 to 512M, save and exit. Now you may launch the setup.exe from this location. You may also open DOS CMD shell and use the setup.exe from this location and use command line option

Setup.exe -javaoption = "Xmx512M"

